



PUMPSET CERT. NO. : 20180802-MP5163
PUMP CERT. NO. : 20190411-MH63401
STRAINERS CERT. NO. : 20170721-MP5156

NOTE : This drawing and the information depicted therein is the property of Albany Pump Co. Ltd. Copies are issued in strict confidence and shall not be reproduced, copied or used as the basis for the manufacture or sale of products without prior written permission of Albany Pump Co.

OPERATING CONDITIONS

Fluid	Fuel Oil
Flow	0-35 GPM
Pressure	0-250 PSI
Inlet	As Required
Outlet	As Required

since 1906
albany
pump company ltd.

MANUFACTURING HEADQUARTER:
420 Harry Walker pkwy. Newmarket,
Ontario Canada, L3Y 8P5

Sales Office:
Burnaby, B.C. (Canada)
Buffalo, New York, (USA)
Phone: (905) 853-9005
Toll Free: 1 (888) 334-3348
Fax: (888) 335-3391
E-mail: sales@albanyump.com
www.albanyump.com

LAYOUT - B

DRAWING NO. :

--

DRAWN :

VP

SHEET NO. :

100

CHECK :

--

SCALE :

1:4

DATE :

-

TAG :


DUPLEX FUEL OIL
PUMPSET WITH
HAND PUMP

MODEL :

FODUP-G-BS

REVISION :

R0



NOTE : All dimentions are approximate and
subject to change without notice




PUMPSET CERT. NO. : 20180802-MP5163
PUMP CERT. NO. : 20190411-MH63401
STRAINERS CERT. NO. : 20170721-MP5156

NOTE : This drawing and the information depicted therein is the property of Albany Pump Co. Ltd. Copies are issued in strict confidence and shall not be reproduced, copied or used as the basis for the manufacture or sale of products without prior written permission of Albany Pump Co.

OPERATING CONDITIONS

Fluid	Fuel Oil
Flow	0-35 GPM
Pressure	0-250 PSI
Inlet	As Required
Outlet	As Required




since 1906
albany
pump company ltd.

MANUFACTURING HEADQUARTER:
420 Harry Walker pkwy. Newmarket,
Ontario Canada, L3Y 8P5
Sales Office:
Burnaby, B.C. (Canada)
Buffalo, New York, (USA)
Phone: (905) 853-9005
Toll Free: 1 (888) 334-3348
Fax: (888) 335-3391
E-mail: sales@albanyump.com
www.albanyump.com

LAYOUT - B

DRAWING NO :
--

DRAWN : VP	TAG : DUPLEX FUEL OIL PUMPSET WITH HAND PUMP
SHEET NO : 101	
CHECK : --	MODEL : FODUP-G-BS
SCALE : 1:4	REVISION : R0
DATE : -	



PUMPSET CERT. NO. : 20180802-MP5163
PUMP CERT. NO. : 20190411-MH63401
STRAINERS CERT. NO. : 20170721-MP5156

NOTE : This drawing and the information depicted therein is the property of Albany Pump Co. Ltd. Copies are issued in strict confidence and shall not be reproduced, copied or used as the basis for the manufacture or sale of products without prior written permission of Albany Pump Co.

OPERATING CONDITIONS

Fluid	Fuel Oil
Flow	0-35 GPM
Pressure	0-250 PSI
Inlet	As Required
Outlet	As Required

since 1906
albany
pump company ltd.

MANUFACTURING HEADQUARTER:
420 Harry Walker pkwy. Newmarket,
Ontario Canada, L3Y 8P5

Sales Office:
Burnaby, B.C. (Canada)
Buffalo, New York, (USA)
Phone: (905) 853-9005
Toll Free: 1 (888) 334-3348
Fax: (888) 335-3391
E-mail: sales@albanyump.com
www.albanyump.com

LAYOUT - B

DRAWING NO :

--

DRAWN :
VP

SHEET NO :
102

CHECK :
--

SCALE :
1:4


DATE :
-

TAG :

DUPLEX FUEL OIL
PUMPSET WITH
HAND PUMP

MODEL :
FODUP-G-BS

REVISION :
R0



Size	Inlet	Outlet	Max L	Max H	Max W
03	.05"	.05"	36"	32"	32"
05	.75"	.75"	38"	32"	34"
10	1.00"	1.00"	38"	32"	34"
18	1.25"	1.25"	42"	34"	36"
25	1.50"	1.50"	50"	36"	40"
35	1.50"	1.50"	54"	38"	44"



PUMPSET CERT. NO. : 20180802-MP5163
PUMP CERT. NO. : 20190411-MH63401
STRAINERS CERT. NO. : 20170721-MP5156

NOTE : This drawing and the information depicted therein is the property of Albany Pump Co. Ltd. Copies are issued in strict confidence and shall not be reproduced, copied or used as the basis for the manufacture or sale of products without prior written permission of Albany Pump Co.

OPERATING CONDITIONS

Fluid	Fuel Oil
Flow	0–35 GPM
Pressure	0–250 PSI
Inlet	As Required
Outlet	As Required

since 1906
albany
pump company ltd.

MANUFACTURING HEADQUARTER:
420 Harry Walker pkwy. Newmarket,
Ontario Canada, L3Y 8P5
Sales Office:
Burnaby, B.C. (Canada)
Buffalo, New York, (USA)
Phone: (905) 853-9005
Toll Free: 1 (888) 334-3348
Fax: (888) 335-3391
E-mail: sales@albanyump.com
www.albanyump.com

LAYOUT - B

DRAWING NO :

--

DRAWN :

VP

SHEET NO :

103

TAG :

DUPLEX FUEL OIL
PUMPSET WITH
HAND PUMP

CHECK :

--

MODEL :

FODUP–G–BS

SCALE :

1:4

REVISION :

R0

DATE :

—

BILL OF MATERIAL

No	DESCRIPTION	QUANT	CERT
1	Cast Iron Helical Gear Pump, G Series, 250 PSI	2	cUL ULC/ORD-343
2	Nema Premium Efficiency Wattsaver Motor, TEFC Enclosure	2	CSA cUL
3	Basket Type Suction Strainer, C/W 60 Mesh SS Screen	2	cUL ULC/ORD-C331
4	Two Piece Brass Ball Valve 500 PSI Pressure Rating	5	cUL ULC/ORD-C842
5	Spring Loaded In-Line Check Valve S.S Spring Tight Shut Off, 400 PSI	2	CRNREG 0C11218.5C
6	Pressure Relief Valve, Cast Iron Body, S.S. Spring	2	CRNREG OC16200-5ADD1
7	Heavy Duty SCH. 80 Piping Package	1	ANSI/ASME- B31
8	Pressure Gauge Liquid Filled, 304 Stainless Steel Case	2	CRN REG
9	Compound Vacuum Gauge, Liquid Filled, 304 Stainless Steel Case 30"- 0- 30 PSI	2	CRN REG
10	Gauge Isolation valve, two Piece Ball Valve 500 PSI Pressure Rating	4	cUL ULC/ORD-C842
11	¼" Fabricated Steel Base with 50mm Drip Lip	1	-
12	Priming Port and Valve	1	cUL ULC/ORD-C842
16	Hand Operated Pump	1	UL



PUMPSET CERT. NO. : 20180802-MP5163
PUMP CERT. NO. : 20190411-MH63401
STRAINERS CERT. NO. : 20170721-MP5156

NOTE : This drawing and the information depicted therein is the property of Albany Pump Co. Ltd. Copies are issued in strict confidence and shall not be reproduced, copied or used as the basis for the manufacture or sale of products without prior written permission of Albany Pump Co.

OPERATING CONDITIONS

Fluid	Fuel Oil
Flow	0-35 GPM
Pressure	0-250 PSI
Inlet	As Required
Outlet	As Required

since 1906
albany
pump company ltd.

MANUFACTURING HEADQUARTER:
420 Harry Walker pkwy. Newmarket,
Ontario Canada, L3Y 8P5
Sales Office:
Burnaby, B.C. (Canada)
Buffalo, New York, (USA)
Phone: (905) 853-9005
Toll Free: 1 (888) 334-3348
Fax: (888) 335-3391
E-mail: sales@albanyump.com
www.albanyump.com

LAYOUT - B

DRAWING NO :

--

DRAWN :	TAG :
VP	DUPLEX FUEL OIL PUMPSET WITH HAND PUMP
SHEET NO : 104	
CHECK : --	MODEL : FODUP-G-BS
SCALE : NA	REVISION : R0
DATE : -	